



**AC-18 ACETONE KLEAN STRIP**

**MSDS Number**

BJHJL

**National Stock Number**

6850-00F013211

**Product Name**

AC-18 ACETONE KLEAN STRIP

**Manufacturer**

W M BARR AND COMPANY

**Product Identification**

Product ID:AC-18 ACETONE KLEAN STRIP

MSDS Date:10/01/1985

FSC:6850

NIIN:00F013211

MSDS Number: BJHJL

**Responsible Party**

W.M. BARR & COMPANY

2105 CHANNEL AVENUE

MEMPHIS , TN 38101

Emergency Phone: (901) 775-0100

Phone: (901) 775-0100

Cage: 91522

**Contractor**

W.M. BARR & COMPANY/KLEAN-STRI, DIVISION OF

1879

MEMPHIS, TN 38101

US

901-775-0100

Cage: 91522

**Ingredients**

ACETONE (SARA III)

CAS: 67-64-1

RTECS: AL3150000

Fraction By Weight:

OSHA PEL1000PPM

ACGIH TLV: 750PPM/1000STEL;9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

**Hazards**

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: IRRITATION OF THE RESPIRATORY TRACT, HEADACHE, DIZZINESS, BREATHING DIFFICULTY, HARMFUL & FATA. SKIN: DRYING. EYES: DAMAGE, IRRITATION OR INJURY.

Explanation of Carcinogenicity:NONE



Effects of Overexposure: INHALATION: IRRITATION OF RESPIRATORY TRACT, DACHE, DIZZINESS, NAUSEA, UNCONSCIOUSNESS, BREATHING DIFFICULTY, HARMFUL & FATAL. SKIN: DRYING. EYES: DAMAGE, IRRITATION, & INJURY.

### **First Aid**

First Aid: INHALATION: MOVE TO FRESH AIR. ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION & GET MED ATTN. INGESTION: CALL PHYSICIAN. SKIN: WASH W/SOAP & WATER. SEEK MED ATTN. EYES: FLUSH W/WATER FOR AT LEAST 15 MIN. SEEK MED ATTN.

### **Fire Fighting**

Flash Point Method: SCC  
Flash Point: OF  
Lower Limits: 2.6%  
Extinguishing Media: CO2, DRY POWDER, FOAM  
Fire Fighting Procedures: WEAR SCBA & FULL PROTECTIVE CLOTHING FOR FIGHTING FIRES. STORAGE CONTAINERS EXPOSED TO FIRE SHOULD BE KEPT COOL W/WATER TO PREVENT PRESSURE BUILD-UP.  
Unusual Fire/Explosion Hazard: KEEP CONTAINER TIGHTLY CLOSED.

### **Accidental Release**

Spill Release Procedures: VENTILATE AREA. FLUSH LARGE SPILLS OF MATERIAL INTO SUITABLE RETAINING AREA OR CONTAINERS W/LARGE QUANTITIES OF WATER. SMALL SPILLS CAN BE ABSORBED BY APPROPRIATE INERT ABSORBENT.

### **Handling**

Handling and Storage Precautions: DON'T STORE NEAR FLAMES OR AT ELEVATED TEMPERATURES. EMPTY CONTAINERS RETAIN RESIDUE, FOLLOW ALL LABEL WARNINGS.  
Other Precautions: WASH HANDS THOROUGHLY AFTER USE. AVOID BREATHING VAPORS.

### **Exposure Controls**

Respiratory Protection: WHERE ENGINEERED AIR CONTROL ISN'T FEASIBLE, USE NIOSH APPROVED RESPIRATORS.  
Ventilation: PROVIDE ADEQUATE VENTILATION TO KEEP  
Protective Gloves: IMPERMEABLE  
Eye Protection: SAFETY GLASSES, GOGGLES, FACE SHIELD  
Other Protective Equipment: IMPERMEABLE APRONS  
Work Hygienic Practices: WASH HANDS THOROUGHLY AFTER USE.  
Supplemental Safety and Health  
WT PER GAL: 6.570 LBS.

### **Chemical Properties**

Boiling Pt: B.P. Text: 133F  
Vapor Density: >AIR  
Evaporation Rate & Reference: SLOWER THAN ETHER  
Percent Volatiles by Volume: 100%

### **Stability**

Stability Indicator/Materials to Avoid: YES  
STRONG OXIDIZING AGENTS  
Stability Condition to Avoid: HEAT, SPARKS, OPEN FLAMES, HOT SURFACES, ELECTRICAL EQUIPMENT  
Hazardous Decomposition Products: NONE

### **Disposal**

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS. DOT-FLAMMABLE LIQUID.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

