



409 ORANGE PEEL ADHESIVE REMOVER

MSDS Number

CCFRQ

National Stock Number

8040-00F051764

Product Name

AR 409 ORANGE PEEL ADHESIVE REMOVER

Manufacturer

GRAPHIC ADHESIVE PRODUCTS INC

Product Identification

Product ID:AR 409 ORANGE PEEL ADHESIVE REMOVER

MSDS Date:11/01/1992

FSC:8040

NIIN:00F051764

MSDS Number: CCFRQ

Responsible Party

GRAPHIC ADHESIVE PRODUCTS INC

8010 WHEATLAND AVE UNIT L

SUN VALLEY , CA 91352-4105

US

Emergency Phone: 818-771-0500/818-955-9800

Info Phone: 800-866-8440/818-955-9800

Preparer: PAT DIAMOND

Cage: 04SM4

Contractor

GRAPHIC ADHESIVE PRODUCTS INC

SUN VALLEY, CA 91352-4105

US

800-866-8440/818-955-9800

Cage: 04SM4

Ingredients

-1-METHYL-4-(1-METHYLETHENYL)CYCLOHEXENE, CARVENE, CINENE,

CAS: 5989-27-5

RTECS: GW6360000

Fraction By Weight: >45%

NONYLPHENOL POLYOXYETHYLENE ETHER; POLYOXYETHYLENE

CAS: 9016-45-9

RTECS: MD0900000

Fraction By Weight:

Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO



Health Hazards Acute and Chronic: INHALATION: HARMFUL & IRRITATION TO UPPER RESPIRATORY TRACT. SKIN/EYES: IRRITATION. INGESTION: HARMFUL IF MATERIAL IS ASPIRATED INTO THE LUNGS.
Explanation of Carcinogenicity: SEE INGREDIENTS.
Effects of Overexposure: IRRITATION.

First Aid

First Aid: EYES: FLUSH W/WATER FOR 15 MINS. SKIN: WASH W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN IF NEEDED. INGESTION: DRINK WATER. DON'T INDUCE VOMITING UNLESS DIRECTED BY A PHYSICIAN. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Flash Point: 113-130F
Lower Limits: 0.7
Upper Limits: 6
Extinguishing Media: FOAM, DRY CHEMICAL
Fire Fighting Procedures: AVOID DIRECT CONTACT W/WATER.
Unusual Fire/Explosion Hazard: DENSE BLACK SMOKE PRODUCED. AUTOIGNITION TEMP: 459F.

Accidental Release

Spill Release Procedures: SOAK UP LIQUID W/INERT ABSORBING MATERIAL & CONTAIN.

Handling

Handling and Storage Precautions: KEEP AWAY FROM HEAT & OTHER IGNITION SOURCES. STORE IN COOL, DRY PLACE. VENT CONTAINER FREQUENTLY IF NOT USED REGULARLY.
Other Precautions: WASH THOROUGHLY W/SOAP & WATER AFTER HANDLING.

Exposure Controls

Respiratory Protection: NONE REQUIRED.
Ventilation: GOOD GENERAL VENTILATION.
Protective Gloves: RUBBER/PLASTIC
Eye Protection: SAFETY GLASSES/GOGGLES
Other Protective Equipment: EYE BATH, SAFETY SHOWER
Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health

Chemical Properties

Boiling Pt: B.P. Text: > 300F
Vapor Pres: 2
Vapor Density: > 1
Spec Gravity: Evaporation Rate & Reference: (BU AC = 1): Solubility in Water: INSOLUBLE
Appearance and Odor: CLEAR LIQUID W/ORANGE FRAGRANCE.

Stability

Stability Indicator/Materials to Avoid: YES
OXIDIZING AGENTS, ACIDS, PEROXIDES, HALOGENS, VINYL CHLORIDES, IODINE PENTA FLUORIDE.
Stability Condition to Avoid: HEAT, SPARKS, OPEN FLAMES.
Hazardous Decomposition Products: NONE
Conditions to Avoid Polymerization: HIGH TEMP CONTACT W/REACTIVE MONOMERS.

Disposal

Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their



particular situation.