UIAN MATERIAL SAFETY DATA SHEET

PRODUCT NAME

VIAND PROCLAIM & PROCLAIM/CL EMULSIONS

SECTION I			
Manufacturer's Name	Emergency Telephone Number		
ULANO CORPORATION	CHEMTREC: (800)424-9300 or (703)527-3887		
Address (Number, Street)	Telephone Number for Information		
110 THIRD AVENUE	(718) 237-4700, Fax#: (718) 802-1119		
Address (City, State, ZIP Code)	Date Prepared		
BROOKLYN, NY 11217	September 13, 2004		
Signature of Preparer (optional)			

SECTION II: INGREDIENTS/IDENTITY INFORMATION

02011	•••••••••••••••••••••••••••••••••••••••				
Ingredients (Specific Chemical Identity;	C.A.S. #	OSHA PEL	ACGIH TLV	Approx. Conc.	Hazard Type
Common Name(s))					
TSRN 80100215-5008P	TRADE SECRET	NOT SET	NOT SET		MILD IRRITANT
POLYVINYL ALCOHOL	9002-89-5	NOT SET	NOT SET	<10%	NON HAZARDOUS
POLYVINYL ACETATE	9003-20-7	NOT SET	NOT SET	>10%	NON-HAZARDOUS
TSRN 80100215-5001P	TRADE SECRET	NOT SET	NOT SET		NON-HAZARDOUS
ACRYLATE	NOT ESTAB.	NOT SET	NOT SET	<10%	MILD IRRITANT
WATER					

THIS PRODUCT DOES NOT CONTAIN SARA TITLE III, SECTION 313 REPORTABLE MATERIAL

ULANO PRODUCTS ARE NOT MANUFACTURED WITH, NOR DO THEY CONTAIN CLASS-I OR CLASS-II OZONE DEPLETING CHEMICALS.

SECTION III: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point	Specific Gravity (H ₂ O = 1)
~212ºF	1.1
Vapor Pressure (mm Hg.)	Melting Point
23.3 mbar	N.A.
Vapor Density (AIR=1)	Evaporation Rate (H ₂ O = 1)
N.A.	N.A.
Solubility in Water	

INFINITELY DISPERSIBLE IN WATER

Appearance and Odor

BLUE OR WHITE VISCOUS LIQUID

SECTION IV: FIRE AND EXPLOSION HAZARD DATA							
Flash Point (Method Used)	F	lammable Limits	LE	L		UEL	
N.A.		N.A.	N.A			N.A.	
Extinguishing Media							
NON-FLAMMABLE							
Special Fire Fighting Procedures							
TREAT SURROUNDING FIRE							
Unusual Fire and Explosion Hazards							
NONE KNOWN							
		SECTION V: RE	ACTIVITY DA	TA			
Stability		Un	stable		Stal	ole	
					X		
Conditions to Avoid				·			
UV RADIATION, HEAT, SUNLIC	GHT						
Incompatibility (Material to Avoid)							
OXIDIZERS							
Hazardous Decomposition or Byproducts	6						
CARBON MONOXIDE, CARBO	N DIOXIDI	E, FORMIC ACID.					
Hazardous Polymerization	_	May	Occur		Will Not	Occur	
					X		
Conditions to Avoid				·			
HEAT, UV RADIATION, SUNLIC	GHT						
Hazardous Materials Identification Schen	ne (HMIS)	Health	Flammabil	ity Re	eactivity	Personal Protection	

0

0

Α

1

	OF OTION V			PAGE
		I: HEALTH HAZAR		
Pouto(c) of Entry	Inhalation?		Skin?	Ingestion?
Route(s) of Entry Health Hazards (Acute and Chronic)	NO	Y	ES	NO
EYE AND SKIN IRRITANT. C	AN CAUSE IRREVERSI	BLE DAMAGE TO EYES	S OR SKIN ON PRO	LONGED CONTACT.
CAN INDUCE ALLERGIC OF				
Carcinogenicity:	NTP?		lonographs?	OSHA Regulated?
	NO	1	10	NO
Signs and Symptoms of Exposure REDDENING OF SKIN OR B	URNING SENSATION IN	EYES		
Medical Condition Generally Aggrava ALLERGIES, ECZEMA OR S				
Emergency and First Aid Procedures <u>EYES:</u> FLUSH WITH LARGE		R. CONSULT A PHYSIC	CIAN. SKIN: WASH	EXPOSED AREA
WITH SOAP AND WATER. II				
	CTION VII: PRECAUT	TIONS FOR SAFE H		USE
Steps to be taken in case Material is SMALL SPILLS MAY BE WA		ARGE SPILLS SHOUL	D BE ABSORBED C	ONTO SUITABLE MEDIA.
Waste Disposal Method MEDIA SHOULD BE DISPOS	SED OF IN ACCORDANC	E WITH STATE AND LO	DCAL REGULATION	NS.
Precautions to be Taken in Handling KEEP AWAY FROM HEAT A				
Other Precautions NONE KNOWN				
	SECTION V	/III: CONTROL MEA	SURES	
Respiratory Protection (Specify Type NONE REQUIRED IF ADEQU)			
Ventilation	Local Exhaust	Mechanical (General)	Special	Other
Protective Gloves YES City Device Clothered	-	Eye Protection NIOSH APPR	OVED SAFETY GLA	SSES OR GOGGLES
Other Protective Clothing or Equipme PROTECTIVE APRON Work / Hygienic Practices	201			
WASH HANDS PROMPTLY	AFTER HANDLING MAT	ERIAL.		

WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF, THE ULANO CORPORATION MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

Page 2 (Proclaim & Proclaim/cl)

UIANO MATERIAL SAFETY DATA SHEET

PRODUCT NAME

SECTION I				
Manufacturer's Name	Emergency Telephone Number			
ULANO CORPORATION	CHEMTREC: (800)424-9300 or (703)527-3887			
Address (Number, Street)	Telephone Number for Information			
110 THIRD AVENUE	(718) 237-4700, Fax#: (718) 802-1119			
(City, State, ZIP Code)	Date Prepared			
BROOKLYN, NY 11217	MAY 1, 2004			
Signature of Preparer (optional)				

SECTION II: INGREDIENTS/IDENTITY INFORMATION							
C.A.S. #	OSHA PEL	ACGIH TLV	Approx. Conc.	Hazard Type			
41432-19-3			100%	IRRITANT			
	10 mg/m³	10 mg/m³	Total Dust				
	5 mg/m³	5 mg/m³	Respirable Dust				
(COMPOUND ALSO LISTED AS 4-DIAZODIPHENYLAMINE SULFATE, FORMALDEHYDE POLYMER)							
THIS PRODUCT DOES NOT CONTAIN SARA TITLE III, SECTION 313 REPORTABLE MATERIAL							
	C.A.S. # 41432-19-3 NE SULFATE, FC	C.A.S. # OSHA PEL 41432-19-3 10 mg/m ³ 5 mg/m ³ NE SULFATE, FORMALDEHYDE	C.A.S. # OSHA PEL ACGIH TLV 41432-19-3 10 mg/m ³ 10 mg/m ³ 5 mg/m ³ 5 mg/m ³ NE SULFATE, FORMALDEHYDE POLYMER)	C.A.S. # OSHA PEL ACGIH TLV Approx. Conc. 41432-19-3 100% 10 mg/m ³ 10 mg/m ³ Total Dust 5 mg/m ³ 5 mg/m ³ Respirable Dust NE SULFATE, FORMALDEHYDE POLYMER)			

ULANO PRODUCTS ARE NOT MANUFACTURED WITH, NOR DO THEY CONTAIN CLASS-I OR CLASS-II OZONE DEPLETING CHEMICALS.

SEC	CTION III:	PHYSICAL/CHEI	MICAL CHARAC	TERISTICS		
Boiling Point		S	pecific Gravity ($H_2O = 1$)			
SLOW DECOMPOSITION AT 24	4°F		. A .			
Vapor Pressure (mm Hg)			elting Point			
N.A.			I. A .			
Vapor Density (Air = 1)		E	vaporation Rate $(H_2O = 1)$)		
N.A.		N	. A .			
Solubility in Water SOLUBLE						
Appearance and Odor YELLOW POWDER						
S		: FIRE AND EXI	PLOSION HAZA	RD DATA		
Flash Point (Method Used)	Flamr	mable Limits	LEL		UEL	
N.A.		N.A.	N.A.		N.A.	
Extinguishing Media CARBON DIOXIDE OR DRY CHI	EMICAL					
Special Fire Fighting Procedures						
AS ALWAYS, FIRE FIGHTERS S	HOULD WE	AR SELF-CONTAIN	IED, SUPPLIED-AIF	R BREATHING APPA	RATUS	
Unusual Fire and Explosion Hazards						
UNDER FIRE CONDITIONS, OXI	DES OF CA	RBON, NITROGEN	AND SULFUR WILL	. BE LIBERATED		
	S	ECTION V: REA	CTIVITY DATA			
Stability		Unstal	ble	Sta	able	
-		X				
Conditions to Avoid	•					
IGNITION SOURCES, TEMPERA	TURES ABO	OVE 95°F AND ACT	INIC LIGHT.			
DECOMPOSITION DOES NOT R	ESULT IN A	HAZARDOUS CON	IDITION, ONLY EFF	ECTIVENESS DECR	EASES.	
Incompatibility (Material to Avoid)						
STRONG OXIDIZERS						
Hazardous Decomposition or Byproducts						
OXIDES OF CARBON, NITROGE	EN AND SUL					
Hazardous Polymerization	·	May Oo	ccur	Will Not Occur		
				Х		
Conditions to Avoid						
STRONG OXIDIZERS						
Hazardous Materials Identification Scheme		Health	Flammability	Reactivity	Personal Protection	

SECTION VI: HEALTH HAZARD DATA						
Route(s) of Entry	Inhalation?	Skin?	Ingestion?			
	X	X	X			
Health Hazards (Acute and Chronic)						
SKIN: MAY CAUSE SLIGHT IF	RITATION WITH PROLONGED	CONTACT. EYES: CORROSIV	'E TO EYES, MAY			
CAUSE SEVERE IRRITATION	INHALATION: MAY CAUSE IR	RITATION OF MOUTH, THROA	T AND			
RESPIRATORY TRACT. INGE	STION: MAY BE HARMFUL IF I	NGESTED. INGESTION MAY C	AUSE IRRITATION			
OF MOUTH, THROAT AND GI	TRACT.					
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?			
	NO	NO	NO			
Signs and Symptoms of Exposure IRRITATION OF EYES, OR MC						
IRRITATION OF ETES, OR MIC						
Medical Condition Generally Aggravated	d by Exposure					
Emergency and First Aid Procedures						

<u>EYES AND SKIN:</u> WASH EFFECTED AREAS WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION OCCURS

SECTION VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken in case Material is Released or Spilled **WASH DOWN WITH WATER**

Waste Disposal Method

DISPOSE OF IN ACCORDANCE WITH STATE AND LOCAL REGULATIONS

Precautions to be Taken in Handling and Storing STORE IN A COOL DRY AREA

Other Precautions
MIX UNDER YELLOW OR SUBDUED LIGHT

SECTION VIII: CONTROL MEASURES

Respiratory Protection (Specify Type)				
NIOSH APPROVED DUST MAS	SK IF DUST CONCENT	RATIONS EXCEEDS EXPO	DSURE LIMITS	
Ventilation	Local Exhaust	Mechanical (General)	Special	Other
		X		
Protective Gloves		Eye Protection		
PLASTIC GLOVES		NIOSH APPROVE	ED GOGGLES	
Other Protective Clothing or Equipment				
PROTECTIVE APRON				
Work / Hygienic Practices				
WASH HANDS AFTER HANDL	ING MATERIAL			

WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF, THE ULANO CORPORATION MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

UIAN MATERIAL SAFETY DATA SHEET

PRODUCT NAME

	SECTION I	
Manufacturer's Name	Emergency Telephone Number	
ULANO CORPORATION	CHEMTREC: (800)424-9300 or (703)527-3887	
Address (Number, Street,)	Telephone Number for Information	
110 THIRD AVE.	(718)237-4700 Fax#: (718)802-1119	
(City, State, ZIP Code)	Date Prepared	
BROOKLYN, NY. 11217	MAY 1, 2004	
Signature of Preparer (optional)		

SECTION II - Ingredients/Identity Information

(Specific Chemical Identity; Common Name(s))

Ingredients	C.A.S. #	OSHA PEL	ACGIH TLV	Approx. Conc.	Hazard Type	
PHTHALO BLUE	147-14-8	NOT SET	NOT SET	16%	IRRITANT	
PROPYLENE GLYCOL	57-55-6	NOT SET	NOT SET	6%	NON HAZARDOUS	
WATER	7723-18-5			~78%		
PTHALO BLUE CONTAINS 3.4% COPPER WHICH IS REPORTABLE UNDER SARA TITLE III, SECTION 313.						

ULANO PRODUCTS ARE NOT MANUF	ACTURED WITH, NOR DO THE	EY CONTAIN CLASS-I OR C	LASS-II OZONE DEPLETING CHEMICALS.	
SEC	CTION III - Physical/C	hemical Characte	ristics	
Boiling Point		cific Gravity (H ₂ 0=1)		
N.A.		APPROX. 1		
Vapor Pressure (mm Hg.)		ing Point		
N.A.	N.A			
Vapor Density (AIR=1)		Evaporation Rate(H ₂ 0=1)		
N.A.	1			
Solubility in Water DISPERSIBLE				
Appearance and Odor				
BLUE LIQUID				
SECT	ION IV - FIRE AND E	XPLOSION HAZAR	RD DATA	
Flash Point (Method Used) Flash	ammable Limits	LEL	UEL	
N.A. N.A.	N.A		N.A.	
Extinguishing Media				
NON-FLAMMABLE Special Fire Fighting Procedures				
TREAT SURROUNDING FIRE				
Unusual Fire and Explosion Hazards				
NONE KNOWN				
	SECTION V - F	Reactivity Data		
	Unstable		Stable	
Stability			X	
Conditions to Avoid				
NONE KNOWN				
Incompatibility (Material to Avoid)				
NONE KNOWN				
Hazardous Decomposition or Byproducts				
NONE KNOWN				
Hezerdous Polymorization	May Occur		Will Not Occur	
Hazardous Polymerization Conditions to Avoid			X	
NONE KNOWN				
HMIS Health [1]	Flammability [0]	Reactivity [0]	Personal Protection [C]	

Route(s) of Entry Health Hazards (Acute and Chronic) MAY CAUSE IRRITATION TO S	Inhalation?	SECTION VI - Health Hazard Data				
Health Hazards (Acute and Chronic)		Skin?	Ingestion?			
	NO	YES	NO			
<u> </u>	NTP?	IARC Monographs?	OSHA Regulated?			
Carcinogenicity:	NO	NO	NO			
Signs and Symptoms of Exposure						
REDNESS OF SKIN OR BURN	ING OF EYES					
Medical Condition Generally Aggravated NONE KNOWN	by Exposure					
Emergency and First Aid Procedures WASH EFFECTED AREA WITH	I LARGE QUANTITIES OF W	ATER. CALL PHYSICIAN IF IRRIT	ATION OCCURS			
	SECTION VII - Precau	itions for Safe Handling and	Use			
Steps to be taken in case Material is Rel		<u>_</u>				
WASH SMALL AMOUNTS DOV	NN SEWER. LARGE SPILLS	SHOULD BE ABSORBED ONTO S				
Waste Disposal Method DISPOSE OF MEDIA IN ACCO	RDANCE WITH STATE AND	LOCAL REGULATIONS				
Precautions to be Taken in Handling and NONE KNOWN	J Storing					
Other Precautions NONE KNOWN						
	SECTION	/III - Control Measures				
Passington Protection (Specify Type)						
Respiratory Protection (Specify Type) NONE		Ventilation				
		Special	O .1			
	Mechanical (General)	<u> </u>	Other			
Local Exhaust		N.A.	Other N.A.			
Local Exhaust N.A. Protective Gloves	Mechanical (General)	N.A. Eye Protection				
Local Exhaust Local Exhaust N.A. Protective Gloves PLASTIC GLOVES	Mechanical (General)	N.A.				
Local Exhaust N.A. Protective Gloves	Mechanical <i>(General)</i> N.A.	N.A. Eye Protection				
Local Exhaust N.A. Protective Gloves PLASTIC GLOVES Other Protective Clothing or Equipment	Mechanical <i>(General)</i> N.A.	N.A. Eye Protection				

WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF ULANO CORP. MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.