



FANAPART ADHESIVE

MSDS Number

BJJBM

National Stock Number

8040-00N012023

Product Name

FANAPART ADHESIVE

Manufacturer

NASHUA CORP

Product Identification

Product ID:FANAPART ADHESIVE

MSDS Date:04/01/1986

FSC:8040

NIIN:00N012023

MSDS Number: BJJBM

Responsible Party

NASHUA CORP

44 FRANKLIN ST

NASHUA , NH 03061

US

Emergency Phone: 603-880-5555

Info Phone: 603-880-1242

Preparer: N A MAHMUD

Cage: 33959

Contractor

NASHUA CORP OFFICE PRODUCTS DIV.

NASHUA, NH 03060

US

603-880-2323

Cage: 34936

Ingredients

METHYL ALCOHOL (METHANOL) (SARA III)

CAS: 67-56-1

RTECS: PC1400000

Fraction By Weight:

OSHA PELS,200PPM/250STEL

ACGIH TLV: S,200PPM/250STEL; 93

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

POLYCHLOROPENE LATEX NEOPRENE LATEX (CHLOROPRENE

CAS: 90109-84-4

Fraction By Weight:



A

CAS: 57-13-6

RTECS: YR6250000

Fraction By Weight:

WATER

Fraction By Weight: >60%

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION OF CONCENTRATED VAPOR MAY IRRITATE RESPIRATORY TRACT. PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE DRYING OF SKIN. MFR IDENTIFIES SKIN AS PRIMARY ROUTE OF ENTRY HOWEVER, NO TARGET ORGAN EFFECTS ARE NOTED.
Explanation of Carcinogenicity:NOT RELEVANT.
Effects of Overexposure:IRRITATION OF EYES AND RESPIRATORY TRACT.
Medical Cond Aggravated by Exposure:NOT KNOWN.

First Aid

First Aid:INHAL:MOVE SUBJECT TO FRESH AIR. EYE:FLUSH IMMED WITH PLENTY OF WATER UNTIL IRRITATION SUBSIDES. IF IRRITATION PERSISTS GET MD. SKIN:WASH WITH SOAP AND WATER. INGEST:GET MD IMMEDIATELY.

Fire Fighting

Flash Point Method:PMCC
Flash Point:120F,49C
Extinguishing Media:WATER, CO2, FOAM, DRY CHEMICALS.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:FLAMMABLE VAPOR MAY ACCUMULATE ABOVE LATEX IN CLOSED VESSELS. MATERIAL CAN SPLATTER ABOVE 100C/212F.

Accidental Release

Spill Release Procedures:RECOVER FREE LIQUID. CLEAN WITH DAMP CLOTH AND THOROUGHLY RINSE WITH WATER. SPILLS ARE EXTREMELY SLIPPERY.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:KEEP AWAY FROM SOURCES OF IGNITION, SPARKS.
Other Precautions:PROTECT FROM FREEZING. USE WITH ADEQUATE VENTILATION.

Exposure Controls

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR WHENEVER EXPOSURE TO VAPOR/MIST IS LIKELY.
Ventilation:LOCAL EXHAUST PREFERRED. MECHANICAL (GENERAL) NOT RECOMMENDED AS THE SOLE MEANS.
Protective Gloves:IMPERVIOUS GLOVES RECOMMENDED.
Eye Protection:CHEM WORKERS GOGGLES/FACESHLD OPT.
Other Protective Equipment:EYE WASH EQUIPMENT.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, SMOKING, OR USING SANITARY FACILITIES.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

Boiling Point:100C
Melting/Freeze Pt:M.P/F.P Text:32F (WATER)
Spec Gravity:1.02
Solubility in Water:COMPLETELY MISCIBLE
Appearance and Odor:MILKY WHITE LIQUID WITH ALCOHOL ODOR.

Stability



Stability Indicator/Materials to Avoid: YES
STRONG OXIDIZERS.
Stability Condition to Avoid: HIGH TEMPERATURE.
Hazardous Decomposition Products: CO, HCL, ALDEHYDES.

Disposal

Waste Disposal Methods: INCINERATE LIQUID IN APPROVED EQUIPMENT I/A/W
FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.