# **Safety Data Sheet**



Issue Date 27-Dec-2011 Revision Date: 18-Oct-2013 Version 1

### 1. IDENTIFICATION

**Product Identifier** 

Product Name Buckeye Sanicare Quat-256

Other means of identification

**SDS #** BE-5090

UN/ID No UN1760 Product Code 5090

Recommended use of the chemical and restrictions on use

**Recommended Use** Cleaner. Disinfectant. Waterbased.

### Details of the supplier of the safety data sheet

**Supplier Address** 

Buckeye International, Inc. 2700 Wagner Place Maryland Heights, MO 63043 USA

Emergency Telephone Number

**Company Phone Number** 1-651-632-8956 (International) (Medical) 1-800-303-0441 (North America)

**Emergency Telephone (24 hr)** 

INFOTRAC 1-352-323-3500 (International)

(Transportation) 1-800-535-5053 (North America)

### 2. HAZARDS IDENTIFICATION

Appearance Clear red liquid Physical State Liquid Odor Rose

### Classification

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1

#### **Hazards Not Otherwise Classified (HNOC)**

May be harmful if swallowed

Signal Word Danger

### **Hazard Statements**

Causes severe skin burns and eye damage



#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Revision Date: 18-Oct-2013

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### **Other Hazards**

Harmful to aquatic life with long lasting effects

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	>61.1
N,N-DIMETHYLOCTYLAMINE-N-OXIDE	2605-78-9	<10
Didecyldimethylammonium chloride	7173-51-5	<16.9
Alkyl dimethyl benzyl ammonium chloride (C12-16)	68424-85-1	<16.9
Tetrasodium EDTA	64-02-8	<5
Ethyl Alcohol	64-17-5	<4
Sodium hydroxide	1310-73-2	<2

### 4. FIRST-AID MEASURES

#### **First Aid Measures**

**General Advice** Call a poison center or doctor immediately for treatment advice.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek **Eye Contact** 

immediate medical attention/advice.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated

clothing. Wash contaminated clothing before reuse.

Inhalation Remove to fresh air. If not breathing, give artificial respiration.

Ingestion Have person sip a glass of water if able to swallow. Do not induce vomiting without medical

advice. Never give anything by mouth to an unconscious person.

#### Most important symptoms and effects

**Symptoms** Contact may cause irritation and redness. Direct eye contact may cause stinging, tearing

and redness. May cause redness, pain, and severe skin burns. May cause irritation to the mucous membranes and upper respiratory tract. Ingestion may cause nausea and

Revision Date: 18-Oct-2013

headache.

### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. If the product is ingested, probable mucosal damage may

contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory

depression, and convulsions may be needed.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Water spray (fog). Dry powder. Foam.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Toxic fumes may be given off when material is exposed to fire.

Hazardous Combustion Products Carbon oxides. Nitrogen oxides (NOx). Hydrogen chloride.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Use personal protective equipment as required.

**Environmental Precautions** Collect spillage.

### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow

floor to dry before allowing traffic.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Keep out of the reach of children. Use personal protection recommended in Section 8. Do

not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the environment.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room

temperature. Keep container closed when not in use. Do not contaminate water, food, or

feed by storage or disposal.

Packaging Materials Rinse container before discarding.

Incompatible Materials Chlorine bleach. Anionic detergents. Strong oxidizing agents. Strong reducing agents.

Dama 0/0

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Revision Date: 18-Oct-2013

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol	STEL: 1000 ppm	TWA: 1000 ppm TWA:	IDLH: 3300 ppm
64-17-5		1900 mg/m <sup>3</sup> (vacated)	TWA: 1000 ppm
		TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	
Sodium hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2	_	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

#### Appropriate engineering controls

**Engineering Controls**Apply technical measures to comply with the occupational exposure limits.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Splash goggles or safety glasses.

**Skin and Body Protection** Rubber gloves. Normal work clothing (long sleeved shirts and long pants) is recommended.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands

thoroughly after handling. Wash contaminated clothing before reuse.

Tag Closed Cup

(Water = 1)

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Liquid

Appearance Clear red liquid Odor Rose

Color Red Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH**  $7.6 \pm 0.2 \text{ (conc)}$ 

 $7.0 \pm 0.2$  (1:256 dilution)

Melting Point/Freezing Point Not determined

Evaporation Rate 1.0

Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Vapor Density

n/a-liquid
Not applicable
Not applicable
Not determined
Not determined

Specific Gravity 1.00 Water Solubility Infinite

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

# 10. STABILITY AND REACTIVITY

Revision Date: 18-Oct-2013

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

#### **Conditions to Avoid**

Keep out of reach of children.

#### **Incompatible Materials**

Chlorine bleach. Anionic detergents. Strong oxidizing agents. Strong reducing agents.

### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating gases or vapors.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes severe eye damage.

**Skin Contact** Causes severe skin burns.

**Inhalation** Avoid breathing vapors or mists.

**Ingestion** May be harmful if swallowed.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Didecyldimethylammonium chloride 7173-51-5	= 84 mg/kg (Rat)	-	-
Alkyl dimethyl benzyl ammonium chloride (C12-16) 68424-85-1	= 426 mg/kg (Rat)	-	-
Tetrasodium EDTA 64-02-8	= 10 g/kg (Rat)	-	-
Ethyl Alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-

### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

Revision Date: 18-Oct-2013

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol	A3	Group 1	Known	X
64-17-5		•		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

#### **Numerical measures of toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Tetrasodium EDTA	1.01: 72 h Desmodesmus	41: 96 h Lepomis		610: 24 h Daphnia magna
64-02-8	subspicatus mg/L EC50	macrochirus mg/L LC50		mg/L EC50
		static 59.8: 96 h Pimephales		
		promelas mg/L LC50 static		
Ethyl Alcohol		12.0 - 16.0: 96 h		9268 - 14221: 48 h Daphnia
64-17-5		Oncorhynchus mykiss mL/L		magna mg/L LC50 10800: 24
		LC50 static 100: 96 h		h Daphnia magna mg/L
		Pimephales promelas mg/L		EC50 2: 48 h Daphnia
		LC50 static 13400 - 15100:		magna mg/L EC50 Static
		96 h Pimephales promelas		
		mg/L LC50 flow-through		
Sodium hydroxide		45.4: 96 h Oncorhynchus		
1310-73-2		mykiss mg/L LC50 static		

## Persistence/Degradability

Not determined

#### **Bioaccumulation**

Not determined

### **Mobility**

Chemical Name	Partition Coefficient
Ethyl Alcohol	-0.32
64-17-5	

# Other Adverse Effects

Not determined

### 13. DISPOSAL CONSIDERATIONS

Revision Date: 18-Oct-2013

#### **Waste Treatment Methods**

**Disposal of Wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

#### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Ethyl Alcohol	Toxic
64-17-5	Ignitable
Sodium hydroxide	Toxic
1310-73-2	Corrosive

### 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (Dimethyl benzyl ammonium chloride, Sodium hydroxide)

Hazard Class 8
Packing Group III

IATA

UN/ID No UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (Dimethyl benzyl ammonium chloride, Sodium hydroxide)

Hazard Class 8
Packing Group III

**IMDG** 

UN1760

Proper Shipping Name Corrosive liquid, n.o.s. (Dimethyl benzyl ammonium chloride, Sodium hydroxide)

Hazard Class 8
Packing Group III

Marine Pollutant This material may meet the definition of a marine pollutant

Page 7/9

# **15. REGULATORY INFORMATION**

Revision Date: 18-Oct-2013

### International Inventories

Not determined

### US Federal Regulations

### **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

#### SARA 311/312 Hazard Categories

**Acute Health Hazard** 

Yes

### **SARA 313**

Not determined

### **CWA (Clean Water Act)**

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2 ( <2 )	1000 lb			X

### **US State Regulations**

### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Ethyl Alcohol - 64-17-5	Carcinogen
	Developmental

### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl Alcohol 64-17-5	X	X	Х
Sodium hydroxide 1310-73-2	X	X	X

# **16. OTHER INFORMATION**

NFPA **Health Hazards Flammability** Instability Special Hazards Not determined **Personal** 

**HMIS Health Hazards Flammability Physical Hazards Protection** Not Not determined determined

Not determined Not determined

Revision Date: 18-Oct-2013

**Issue Date** 27-Dec-2011 **Revision Date:** 18-Oct-2013 **Revision Note** New format

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Page 9/9