## **AMERICAN INTERNATIONAL INDUSTRIES**

2220 GASPAR AVENUE LOS ANGELES, CA 90040 CHEM-TEL: (800) 255-3924

## **MATERIAL SAFETY DATA SHEET**

AP AP - 105 AP A	uvi 🖳	ERIF	AL SAFEII	DAI	ASIL	
PRODUCT NAME: FORMULA:	Gigi Wax-Off 30-5469				DATE: REV.	2/25/2004 NEW
	al Identification an	d Inform	ation			
Hazardous Ingredier	nts:					
J	Compone	nt	CAS#	%	TOXICOL	LOGICAL DATA
	No Hazardous In					
Section 2. Physic	cal / Chemical Cha	racteris	tics			
Boiling Point:	N/A		Specific Gravity:	1.01		
Vapor Pressure:	N/A		(H <sub>2</sub> O =1)			
(mm Hg and Tempera	iture)		Melting Point:	N/A		
Vapor Density:	N/A		Evaporation Rate:	N/A		
(Air = 1)			(NAB = 1)			
Solubility in Water:	Emulsion		Water Reactive:	N/A		
Appearance:	Pale Green Lotion		% Volatile:	N/A		
Odor:	Typical		(by weight)			
Section 3. Fire a	nd Explosion Haza	ard Data				
Flash Point and Metl	nod Used:	> 98°C (	200°F) ASTM D-29			
<b>Auto-Ignition Tempe</b>		N/A `	,			
Flammability Limits in Air % by Volume:		LEL:	N/A			
		UEL:	N/A			
Extinguisher Media:			oray, foam, dry chemic			
Special Fire Fighting Procedures:		_	ers should wear full pro	otective cl	othing and self	contained
Unusual Fire and Ex	nlocion Hazarde:	breathin None	g apparatus.			
Onusual i ne anu Ex	piosion mazarus.	None				
Section 4. React	ivity Hazard Data					
Stability:	<b>☑</b> Stable		☐ Unstable			
Incompatibility (Mat			- Chotable			
- p		h as hydro	gen peroxide, bromine	, and chro	mic acid.	
Hazardous Decompo	•	- '	-			
	Carbon monoxide an	d carbon d	ioxide from burning.			
Hazardous Polymeri						
	☐ May Occur		Will Not Occur			

#### **AMERICAN INTERNATIONAL INDUSTRIES**

2220 GASPAR AVENUE LOS ANGELES, CA 90040 CHEM-TEL: (800) 255-3924

## **MATERIAL SAFETY DATA SHEET**

PRODUCT NAME:	Gigi Wax-Off		DA	TE:	2/25/2004					
FORMULA:	30-5469		RE	V.	NEW					
Section 5. Health Hazard Data										
Primary Routes of En	ntrv:									
,	✓ Inhalation	Skin Absorption	□ Ingestion	□ Ey	e Contact					
Carcinogen Listed In:	:									
	☐ NTP	□ IARC Monograph	☐ OSHA	⊠ N	lot Listed					
Health Hazards (Resulting From Misuse or Overexposure):										
	Direct contact with eyes may cause temporary discomfort with mild redness. Prolonged skin									
contact may irritate and cause dermatitis. If swallowed, nausea may be experienced.  Emergency First Aid Procedures:										
Emergency First Aid	Eye Contact:	Flush with planty of water fo	r at least 15 minutes	lf rodn	oss itahina or					
	Lye Contact.	Flush with plenty of water for at least 15 minutes. If redness, itching, or burning sensation develop get medical attention.								
	Skin Contact:	Wash material off with plenty of soap and water. If redness, itching. or								
		burning sensation develops, get medical attention.								
	Inhalation:	Remove person to fresh air. If not breathing, give artificial respiration. If								
		breathing is difficult, give oxygen and get medical attention.								
	Ingestion:	Call a physician immediately. DO NOT induce vomiting. (Vomiting may								
		cause aspiration into lungs r	resulting in chemical	pneumo	onia).					
Section 6. Contro	ol and Protective	Measures								
Respiratory Protection	ons (Specific Type):									
. ,	No special procedure	e.								
Protective Gloves:	Washing hands at mealtime and end of shift is adequate.									
Eye Protection:	Use proper protection - safety glasses as a minimum.									
Ventilation to be Use										
	☑ Local Exh									
Other Protective Clothing and Equipment:										
	Eye wash station in ventilation. Do no tal	work area. Avoid breathing vap ke internally.	ors. Use only with ac	dequate						
<b>Hygienic Work Practi</b>										
	Good Manufacturing	Practices.								
0(	utiono fon Oofo III									


### Section 7. Precautions for Safe Handling and Use / Leak Procedures

#### Steps to be Taken if Material is Spilled or Released:

Use absorbent material to collect and contain for salvage or disposal. Remove all source of ignition and wear proper protection equipment.

#### **Waste Disposal Methods:**

Observe all federal, state, and local regulations regarding waste disposal.



### **AMERICAN INTERNATIONAL INDUSTRIES**

2220 GASPAR AVENUE LOS ANGELES, CA 90040 CHEM-TEL: (800) 255-3924

# **MATERIAL SAFETY DATA SHEET**

PRODUCT NAME: Gigi Wax-Off DATE: 2/25/2004

FORMULA: 30-5469 REV. NEW

Precautions to be taken in Handling and Storing:

Store in cool, dry place. Do not expose to light or heat. Wear safety spectacles and gauntlets when handling. Temperature precautions; do not exceed 100°F, do not freeze (under 33°F.)

Other Precautions and/or Special Hazards:

None